LED BIG STROBE LIGHT

Model: NE-037

User Manual

CE Guangzhou Yinhe Lighting&Sound Equipment Factory

LED USER MANUAL
Model: NE-037

Please read this manual carefully before operating the LED light.

●Notes

1. This is a LED Product.
2. Do not disassemble or repair the system by yourself unless you are qualified in the relevant field of electronics. When there is a problem, please enquire or contact a qualified electrician, or your local dealer.
3. Installation should be done by professional technician.
4. Do not exposure the system to wet and dust-laden environment.
5. Do not touch the system by wet hand and pull the power cable forcefully.
6. Do not turn on or off the system frequently, avoid turning on it for long time.
7. Prevent strong vibration or G-shock to the system.
8. Prevent other harmful objects entering the system.
9. Keep at least 1 meter between the system and the objects in the lighting.
10. Connect the power cable only when the system has been installed.
11. Before connecting or disconnecting the power, adjust the luminance of the light diode as dim as possible to avoid any damage to it.
12. Before powering on the system, be sure the power cable is connected into the power socket well.
13. Turn off the system for 10 minutes after running constantly for four hours; ensure that the system is able to cool down in a suitable environment.
14. When to be transported, use the original package to avoid damage.
15. This symbol indicate separate collection for electrical and electronic equipment.

●Inspection

Check that the following components are present within the package when receiving system - from the list bellow:

1 x LED Big Strobe Light

1 x LED User manual

● SKILL SPECIFICATIONS

Parameters	
Voltage:	AC110V-230V 50/60Hz
Electric current：	2A
Power:	30W
Lamp:	Super bright ,Φ10 ,LED lamps
Quantity of Lamp	324pcs （Red、Blue、Green each is 108pcs）

● Function

<table>
<tr><td>ADDRESS
MODE</td><td colspan="3">『ADDRESS CODE SWITCH』to “ON” position</td></tr>
<tr><td>Sound activation mode</td><td colspan="3">9</td></tr>
<tr><td rowspan="6">DMX mode</td><td colspan="3">1， 10</td></tr>
<tr><td>Channels</td><td>DMX Value</td><td>Effect</td></tr>
<tr><td rowspan="4">CH1</td><td>0</td><td>Off</td></tr>
<tr><td>1-153</td><td>Control the brightness.</td></tr>
<tr><td>154-243</td><td>Strobe</td></tr>
<tr><td>245-255</td><td>All the lamps are on.</td></tr>
<tr><td>CH2</td><td></td><td>Blue</td></tr>
<tr><td>CH3</td><td></td><td>Green</td></tr>
<tr><td>CH4</td><td></td><td>Red</td></tr>
<tr><td rowspan="5">Auto run mode</td><td colspan="2">Effect
ADDRESS to “on”</td><td>Effect</td></tr>
<tr><td colspan="2">1.2.3.9</td><td>Change by program</td></tr>
<tr><td colspan="2">1.2.3</td><td>Blue</td></tr>
<tr><td colspan="2">4.5.6</td><td>Green</td></tr>
<tr><td colspan="2">7.8</td><td>Red</td></tr>
</table>